



Mono Pressure Sewer System



The latest innovation in Pressure Sewer Systems

The advanced Mono Pressure Sewer System is the first product that enables full control of your sewer network. The range offers the most advanced variable level detection devices, a newly developed maceration system, whilst retaining the unique dry well design for ease of maintenance.

Design


- Low profile lid blends into gardens.
- Dry well pump installation - provides a clean environment.
- 'Plug 'n' Play' electrical connections.
- Single & dual pump configurations.
- Available in a range of tank options to suit every requirement.

Safety

- Inherently safe design.
- No access to wet well when lid removed.
- Grinder pump not submerged in sewage.

Protection

- Electronic over pressure monitoring to protect unit and network integrity.
- Intelligent auto-correcting controls.
- Vertical self-cleaning inlet.
- Telemetry ready.




Peace of Mind

- WSAA Appraisal - the only PSS system to be appraised.
- Zero scheduled maintenance.
- Supported globally by Mono Pumps - a company with over 55 years industry experience.

Highly Rugged and Effective

- Developed by a specialist PC pump company.
- Full life tested at 80m.
- High flow (Single Pump 1 litre/sec & Dual Pumps 2 litre/sec)
- Plug and play electrical connections for fast and easy change over.
- Powerful bi-hammer macerator.
- Highly efficient progressive cavity pump



The Ultimate in Pump and Network Control

- New revolutionary Mono Sense continuous level control.
- Highly accurate, electronic over pressure protection
- Protect pump and network from pressure spikes
- Grinder pump not submerged in sewage
- Automatic voltage monitoring to protect against "brown-outs"
- Data logging built in as standard
- All units easily upgraded to full telemetry
- Automatic problem correction
- Visual and audible alarms

Performance

Eco Sense 160

- 1 Lps @ 60m discharge head
- Best suited for residential & light industrial applications.


Eco Sense 180

- 0.5 Lps @ 80m discharge head
- Allows reduced network pipe sizing
- Provides access to higher elevations or distant points of a network without the need for intermediate pump stations.

Advanced Level Detection.


- Mono Sense "Pressure Transducer"
- Unique to the PSS market
- Fully programmable to adjust operational volumes and alarms,
- Zero scheduled maintenance,
- Complete network control.

Performance



Optional Hand Held Device for PSS Controller.

- Local system control and manipulation.
- Data logging functions.
- System interrogation to assist maintenance and service.



Europe

Mono Pumps Ltd, Martin Street, Audenshaw
Manchester, M34 5JA, England
T. +44 161 339 9000
E. info-mono@nov.com

D.M.I EST, 56, rue du Pont
88300 Rebeuville, France
T. +33 3 29 94 26 88
E. dmi-est@dmi-est.fr

Americas

Monoflo Inc., 10529 Fisher Road
Houston, Texas 77041, USA
T. +1 713 980 8400
E. monoflo@nov.com

Monoflo S.A., Ing Huergo 2239
(1842) Monte Grande
Pcia. de Buenos Aires, Argentina
T. +54 11 4290 9940/50
E. info.monoflo@nov.com.ar

Monoflo Canada, 6010 – 53rd Ave
Alberta, Lloydminster
T9V2T2, Canada
T: + 1 780 875 5584
E: info.monoflo@nov.com

Asia

Mono Pumps Ltd, Building 5,
Madong Industrial Park, 1250 Sicheng Rd
Malu Town, Jiading District, Shanghai 201801
T. +86 21 3990 4588
E. monoshanghai@nov.com

Australasia

Mono Pumps (Australia) Pty Ltd
75 Frankston Gardens Drive
Carrum Downs, Victoria 3201, Australia
T. 1800 333 138
E. ozsales@nov.com

Mono Pumps (New Zealand) Ltd
35-41 Fremlin Place, Avondale
Auckland, 1026, New Zealand
T. +64 9 829 0333
E. info@mono-pumps.co.nz

Melbourne	T.	03 9773 7777	F.	03 9773 7400
Sydney	T.	02 8536 0900	F.	02 9542 3649
Brisbane	T.	07 3350 4582	F.	07 3350 3750
Adelaide	T.	08 8447 8333	F.	08 8447 8373
Perth	T.	08 9303 0444	F.	08 9303 0400
Darwin	T.	08 8931 3300	F.	08 8931 3200
Kalgoorlie	T.	08 9022 4880	F.	08 9022 3660

www.monopumps.com.au



© Mono Pumps Limited September 2010 Literature reference: ART60/6

Published information other than that marked CERTIFIED does not extend any warranty or representation, expressed or implied, regarding these products. Any such warranties or other terms and conditions of sales and products shall be in accordance with Mono Pumps Limited standard terms and conditions of sale, available on request.

Mono® is a registered trademark of Mono Pumps Ltd.

Registered in England No 300721



One Company, Unlimited Solutions